



CONTENTS

- ACCESS CONTROL, BUSINESS,
DISCOUNT, GIFT, HOTEL, ID, LOYALTY,
1 MEMBERSHIP & RFID CARDS (CR80)**
- 2 EVENT PASSES**
- 3 TRI-TAGS**
- 4 CARDS WITH KEY-TAGS (M25)**
- 5 PERSONALISATION OPTIONS**

ACCESS CONTROL, BUSINESS, DISCOUNT, GIFT, HOTEL, ID, LOYALTY, MEMBERSHIP & RFID CARDS (CR80)



Allow 3mm bleed of artwork around the outside of the cutter line.



The card will be cut from this line.




No text or logos should be within this area. (1.5mm)

REQUIREMENTS

- All artwork must be supplied in a **CMYK** colour format, not RGB
- All blacks should be set to 100%
- Provide artwork files in a AI, EPS or PDF format.
- All fonts should be outlined, in Illustrator click;
select - object - all text objects - type - create outlines
- All images should be at 300dpi
- All linked images should be embedded
- Provide **PANTONE** colour specifications where applicable
- Provide 3mm bleed area
- Artworks with borders within the printable area are not recommended, as your artwork may not appear centralised if a border is applied
- Recommended font sizes:
6pt/1.6mm Light text on dark background
5pt/1.3mm Dark text on light background

EVENT PASSES



BLEED

Allow 3mm bleed of artwork around the outside of the cutter line.



Cutter

The card will be cut from this line.




SAFETY

No text or logos should be within this area. (1.5mm)


REQUIREMENTS

- All artwork must be supplied in a **CMYK** colour format, not RGB
- All blacks should be set to 100%
- Provide artwork files in a AI, EPS or PDF format.
- All fonts should be outlined, in Illustrator click;
select - object - all text objects - type - create outlines
- All images should be at 300dpi
- All linked images should be embedded
- Provide **PANTONE** colour specifications where applicable
- Provide 3mm bleed area
- Artworks with borders within the printable area are not recommended, as your artwork may not appear centralised if a border is applied
- Recommended font sizes:
6pt/1.6mm Light text on dark background
5pt/1.3mm Dark text on light background

TRI-TAGS



Allow 3mm bleed of artwork around the outside of the cutter line.



The card will be cut from this line.




No text or logos should be within this area (1.5mm).

REQUIREMENTS

- All artwork must be supplied in a **CMYK** colour format, not RGB
- All blacks should be set to 100%
- Provide artwork files in a AI, EPS or PDF format.
- All fonts should be outlined, in Illustrator click;
select - object - all text objects - type - create outlines
- All images should be at 300dpi
- All linked images should be embedded
- Provide **PANTONE** colour specifications where applicable
- Provide 3mm bleed area
- Artworks with borders within the printable area are not recommended, as your artwork may not appear centralised if a border is applied
- Recommended font sizes:
6pt/1.6mm Light text on dark background
5pt/1.3mm Dark text on light background

CARDS WITH KEY-TAGS (M25)



BLEED
Allow 3mm bleed of artwork around the outside of the cutter line.



CUTTER
The card will be cut from this line.



SAFETY
No text or logos should be within this area (1.5mm) .


REQUIREMENTS

- All artwork must be supplied in a **CMYK** colour format, not RGB
- All blacks should be set to 100%
- Provide artwork files in a AI, EPS or PDF format.
- All fonts should be outlined, in Illustrator click;
select - object - all text objects - type - create outlines
- All images should be at 300dpi
- All linked images should be embedded
- Provide **PANTONE** colour specifications where applicable
- Provide 3mm bleed area
- Artworks with borders within the printable area are not recommended, as your artwork may not appear centralised if a border is applied
- Recommended font sizes:
6pt/1.6mm Light text on dark background
5pt/1.3mm Dark text on light background

PERSONALISATION OPTIONS



Magnetic stripes can be positioned 4.3mm from the top or the bottom of the cards. They are not available on Cards with Key Tags (M25) or Tri-Tag Cards.



All slots and cutouts need 1.5mm bleed all around. Punched holes/ slots can be positioned at the top or the side of the card.

Our standard size scratch panel is 36x6mm and needs a clearance of 1mm (38x8mm). Within this clearance a white space of 33x4.5mm should be included.

Signature Panels can be any size but still need 1.5mm of clearance.